


The
Homelift
that suits
you best



FOR USE IN PRIVATE, COMMERCIAL AND PUBLIC AREAS



DIKTATOR

www.dictator.com +49 821 246 730





ACCESIBLE



LOW POWER
CONSUMPTION



CERTIFIED
SAFETY



QUIET


**Our strength:
accurate,
custom-made
adaptions tailored to
our customers**

The hydraulic Homelift DHM 500 not only complies with the legal requirements to ensure accessibility, but also makes life easier and more comfortable in private homes and public and commercial buildings.

**FOR USE
IN PRIVATE,
COMMERCIAL AND
PUBLIC AREAS**








**CUSTOM
MADE**



**INSTALLATION
QUICK**



**UP TO 3
CABIN
ENTRANCES**



**CUSTOMIZED
PRODUCTION**

Special solutions are our speciality

The Homelift DHM 500 is designed and manufactured according to customer requirements.

We find a solution for almost every application, no matter how small or unusual the available space may be.

If no lift shaft is available, **our modular shaft system** can be used – both, inside and outside. It is very easy to install and blends in visually with the building.



CATALOGUE
DICTATOR LIFT
SHAFT SYSTEM






Estructura modular Dictator de exterior



Huecos super reducidos






LARGE SIZE



**BUT ALSO VERY
SMALL WHEN SPACE
IS LIMITED**



**OR EVEN
POLYGONAL IN
UNUSUAL SPACE
CONDITIONS**

Customized Production


DICTATOR manufactures every lift in accordance to customer specifications. Therefore there are no minimum dimensions, as these always depend on the available space, the requirements of the customer and the legal requirements.


Even when space is very limited or unusual, we will find a solution for you, so that nobody has to do without a Homelift.

Standard dimensions

CABINE FLOOR AREA
No Minimum
Maximum 2 m²

REQUIRED SPACE
No minimum






CABIN UP TO
2m²
floor area



UP TO
500 kg



MINIMAL
SHAFT PIT



VERY SMALL
AGGREGATE CABINET

Technical Data

Cabin floor area
Up to 2 m²

Nominal load
Up to 500 kg

Minimum depth of pit
80 mm

Minimum height of headroom
2300 mm

Power supply
Monophase 230 VAC
Three-phase 400 VAC

Motor rating
2.2 kw

Drive system
2:1 roped hydraulic drive

Machine room
Provided by customer
or DICTATOR aggregate cabinet

Clear door width
From 500 to 1000 mm

Clear door height
From 1800 to 2100 mm

If different special dimensions are combined, feasibility must be checked by our Technical Office.



14 meters
Maximum travel

0,15 m/s
Maximum speed



Technical Data


Travel
Up to 14 m

Speed
0,15 m/s

Minimum pit
80 mm

Minimum headroom
2.300 mm

Access to cabin:
From one, two or three sides



8cm
Minimum pit
and 230 cm
minimum headroom





CERTIFICATE

EC Type Examination
EC Directive 2006/42/EC, Article 12, Paragraph 3b
Machinery

Certificate Registration No.: 01/205/0877/15

Certification body for machinery NB 0035
of TÜV Rheinland Industrie Service GmbH
has hereby certified the company

DICTATOR ESPAÑOLA S.A.

Mogoda 20-24, P.I. Salvatella
08210 Barberá del Vallès (España)

Conformity of the product

Vertical Platform Lift for disabled persons

Type: DHM-500

Technical data:
Ident. No: DHM-09053
Load capacity: 500 kg
Max. Lifting speed: 0.15 m/s
Max. Lifting height: 14 m
Type of drive: Hydraulic

with the requirements defined in Annex I of Directive 2006/42/EC of the European Parliament and the Council of 6-10-2008 on machinery and amending Directive 95/16/EC on the approximation of the laws of the Member States relating to machinery.

Proof has been furnished on the basis of an EC Type Examination, Report No.: AE.COL.00002-15 from 20.04.2015, and is valid subject to compliance with the requirements stated in this document.

Product identification number

Certification body

Notified under No. 0035
Heart / Certifier



E. F.
Dipl.-Ing. Bernhard Freyja

Berlin, 02.06.2015

TÜV Rheinland Industrie Service GmbH
Altenrathallee 34, 57103 Berlin
Telefon +49 (0)30 75 62 - 1037, Fax +49 (0)30 75 62 - 13 79

TÜVRheinland®
Genuss. Richtg.

DECLARACIÓN CE DE CONFORMIDAD EC DECLARATION OF CONFORMITY

La empresa / The company:

DICTATOR ESPAÑOLA, S.A.U
POL. Ind. Can Salvatella
C/ Mogoda, 20 - 24
08210 BARBERA DEL VALLES - BARCELONA
Tel. +34 93 719 13 14
Fax +34 93 718 25 09
E-mail: dictator@dictator.es



Declaro, bajo su única responsabilidad, que la máquina (plataforma elevadora especial para minusválidos), / states, under its own responsibility, that the machine (platform elevator for handicapped persons):

Marca / Brand	DICTATOR
Tipo / Type	DHM - 500
Nº de Serie / Serial number	E-199052
Año de fabricación / year of Manufacture	2019

Se ha diseñado tomando como referencia la norma EN 81-41, es conforme a las disposiciones de las Directivas 2006/42/CE, 2004/108/CE y 95/2006/CE y dispone del certificado CE de tipo realizado por / is designed with reference to the standard EN 81-41, is conforms to the dispositions of the European Directives 2006/42/EC, 2004/108/CE and 95/2006/CE and have a EC type-examination drew up by

TÜV CERT NB 0035

Nº Certificado CE de tipo/ Nº EC type-examination: 01/205/0877/15

Carlos Campillo Alba
Dictator Española, S.A.U

Certified Safety

A combination of state-of-the-art safety equipment ensures a relaxed lifting experience:

- Instantaneous activation safety gear
- Slack rope detection
- Safety infrared light curtain
- Automatic rescue in case of power failure
- Manual emergency rescue
- Automatic releveling of the cabin
- Landing doors with double safety locks
- Hydraulic safety gear
- Emergency lighting in the cabin
- Emergency stop button in the cabin
- Overload control
- Alarm button in the cabin
- Telephone in the cabin

Our elevators are 100 % tested and approved in compliance with current regulations and are equipped with the latest safety systems for Homelifts.



DICTATOR QUALITY
FOR A LONG
OPERATIONAL LIFE



WALLS

- Covered with melamine panels
- Stainless steel (AISI 304)
- Safety glass (laminated glass), clear or matt
- Mirror


* Special tailor designs upon customer request



CABIN FLOOR

- Synthetic flooring
- Aluminium chequered plate

* Custom designs or flooring provided by customer.




* Entirely according to your wishes

ADAPT LIFT DHM 500 offers a very wide range of standard options to adapt the lift exactly to your needs.

If these are not sufficient, we will gladly look for a solution together with you, because the DHM should not only provide accessibility, but also fit perfectly into its environment.

Our customer-oriented manufacturing offers the ideal conditions for this.



- Wide range of possibilities for individual configuration with standard options
- Several additional options
- Entirely design and production



LIGHTING



CABIN CEILINGS INDIVIDUALLY
DESIGNED WITH OUR LASER
CUTTING MACHINE



Standard stainless-steel interior ceilings

HANDRAILS



CHROME-PLATED



STAINLESS STEEL

CONTROL PANELS



DISPLAYS

TFT MULTICOLOR



COLOUR COMBINATIONS



Design details

Many details of the Homelift DHM 500 can be adapted exactly to the customer's wishes.

This includes the lighting in the cabin, the design of the handrail, the design of the control panel and the colour scheme of an optional display.

- Fully equipped cabin with numerous features
- High quality materials and surfaces




HOMELIFT WITH HINGED LANDING DOORS


LANDING DOORS



PANORAMA
WINDOW



LARGE
WINDOW



NORMAL
WINDOW




BLIND


PROTECTION IN THE CABIN



FOLDING DOOR
WITHOUT WINDOW



SMALL
WINDOW




GLASS
FOLDING DOOR




LIGHT
CURTAIN


HOMELIFT WITH AUTOMATIC LANDING AND CABIN DOORS



PRIMED OR
STAINLESS STEEL



FULL
GLASS



PANORAMA
DOUBLE-WINDOW

Puertas que se adaptan al entorno

The basic version of the DHM 500 doesn't include cabin door. Access is protected by an infrared light curtain (category II).

Semi-automatic hinged doors are used as landing doors, with a range from 500 to 1000 mm (width), and a height of up to 2100 mm. They are combined with automatic folding doors or infrared light curtains (category II) in cabin.

If the shaft dimensions are big enough, DHM 500 can be equipped with automatic telescopic doors both, in cabin and on landings.

Since we are lift manufacturers, we can design them meeting your requirements and using 100% of the available space.

**Dictator stands for
safety, trust,
quality, promptness
and efficiency**

**Dictator is a leader in
its field, not only thanks
to its exceptional quality,
but also because of its
comprehensive customer
service.**





Dictator – Always the Right Decision

Dictator

We are an internationally-active group of small, effective companies with headquarters in Neusäß near Augsburg, Germany. The core area of operation is Europe.

All Dictator production sites are located in Western Europe and are equipped with state-of-the-art machines and a highly qualified workforce. These resources enable us to meet the requirements of even the most difficult projects and to develop suitable solutions.

TECHNICAL CUSTOMER SERVICE is the aim of our work. Only in this way can we work together with our customers to develop the ideal solution for their wishes and requirements - the more challenging, the better.

A close collaboration and highly qualified employees focused to find a solution are the foundation to make our commitment to quality a reality.

We gladly invest time for you. Only then can we achieve success together.


DICTATOR

**DICTATOR
LIFT
SHAFT
SYSTEMS**



FINISHES

SHEET METAL



BLIND

STANDARD
DRILLING

INTENSIVE
DRILLING

SOLUTIONS WITH GLASS



TRANSPARENT

TRANSLUCEND

MIRRORED

COLOUR

In addition to the standard color palette shown here, the shade can also be adapted to your wishes and/or requirements.



RAL 1015



RAL 3004



RAL 5010



RAL 7001



RAL 7032



RAL 8003



RAL 9003



RAL 9005

Modular DICTATOR Lift Shaft System

For existing buildings and new construction projects.

The perfect solution for adaptation, when no elevator shaft is available in the building. Also in hot galvanized and corrosion-resistant design, thus suitable for both indoor and outdoor use.

Each system is designed to meet the customer's specifications and can be adapted to the requirements of the property down to the last detail. We use state-of-the-art 3D programs to develop cost-effective, reliable, user-optimized solutions.





DICTATOR

+49 821 246 730
www.dictator.com

DICTATOR international:

